

ATTACHMENT 1

ACKNOWLEDGEMENT OF ADDENDA

| Addendum Number | Addendum Date |
|-----------------|---------------|
| | |
| | |
| | |
| | |

UNIT PRICE BID SCHEDULE

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|--|---|------|--------------------|----------------|--------------|
| GENERAL BID ITEMS – BASE BID CROSSINGS ONLY (A, H, I) | | | | | |
| 1 | Provide Mobilization | LS | 1 | | \$ |
| 2 | Provide and Maintain Traffic Control | LS | 1 | | \$ |
| 3 | Storm Water Pollution Prevention Plan (SWPPP) | LS | 1 | | \$ |
| 4 | Construction Survey and Staking | LS | 1 | | \$ |
| 5 | Pothole Existing Utilities | VF | 50 | | \$ |
| 6 | Cache County Contingency | LS | 1 | | \$ 50,000.00 |
| | GENERAL BID ITEMS SUBTOTAL: | | | \$ | |
| CROSSING "A" 2400 WEST – BASE BID | | | | | |
| 7 | Clearing and Grubbing | SF | 3,800 | | \$ |
| 8 | Remove Existing Asphalt and Excavate for New Pavement Section | CY | 462 | | \$ |
| 9 | Remove Existing Box Culvert | LF | 22 | | \$ |
| 10 | Remove Existing Headwall and Inlet/Outlet Structures | EA | 2 | | \$ |
| 11 | Remove Existing Signs | LS | 1 | | \$ |
| 12 | Removal of Existing Irrigation Turnout, Headgate, Salvage and Store Screens, Pump, and Electrical Panel | LS | 1 | | \$ |
| 13 | Cut and Remove Existing Pipe | LF | 11 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|----------|--|------|--------------------|----------------|-----------|
| 14 | Remove Existing Wire and Rock Canal Bank | LF | 40 | | \$ |
| 15 | Remove Existing Diversion Structure | LS | 1 | | \$ |
| 16 | Excavate for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 190 | | \$ |
| 17 | Furnish and Install 96-inch by 36-inch Concrete Box Culvert | LF | 72 | | \$ |
| 18 | Furnish and Install Type "A" Inlet/Outlet Structures and Wing Wall Extension | CY | 43 | | \$ |
| 19 | Connect Wire/Rock Wall to Wing Wall/Inlet Structure | LS | 1 | | \$ |
| 20 | Furnish and Install Granular Borrow for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 483 | | \$ |
| 21 | Furnish and Install Finish Grading of Canal Channel | LF | 80 | | \$ |
| 22 | Furnish and Install 36-inch by 36-inch Drainage Structure | EA | 4 | | \$ |
| 23 | Furnish and Install 24-inch Reinforced Concrete Pipe | LF | 40 | | \$ |
| 24 | Furnish and Install Asphalt | SY | 627 | | \$ |
| 25 | Furnish and Install Untreated Base Course in Pavement Section Over Box Culvert | CY | 26 | | \$ |
| 26 | Furnish and Install Untreated Base Course in Pavement Section Not Over Box Culvert | CY | 82 | | \$ |
| 27 | Furnish and Install Granular Borrow in Pavement Section Not Over Box Culvert | CY | 280 | | \$ |
| 28 | Furnish and Install Gravel Driveway/Accesses with Untreated Base Course | SF | 2,255 | | \$ |
| 29 | Furnish and Install Site Revegetation | SY | 408 | | \$ |
| 30 | Furnish and Install 18-inch Corrugated HDPE Irrigation Pipe | LF | 20 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|---|---|------|--------------------|----------------|-----------|
| 31 | Furnish and Install Irrigation Turnout Type A | EA | 1 | | \$ |
| 32 | Furnish and Install 18-inch Headgate | EA | 1 | | \$ |
| 33 | Reinstall Salvaged Power Screen, Pump, and Control Panel | LS | 1 | | \$ |
| | CROSSING "A" SUBTOTAL: | | | \$ | |
| CROSSING "B" 3200 WEST (NOT IN BID) | | | | | |
| CROSSING "C" 3200 WEST (NOT IN BID) | | | | | |
| CROSSING "D" 3400 SOUTH (Maple Rise) – BID ALTERNATE 1 | | | | | |
| 34 | Provide Mobilization | LS | 1 | | \$ |
| 35 | Provide and Maintain Traffic Control | LS | 1 | | \$ |
| 36 | Storm Water Pollution Prevention Plan (SWPPP) | LS | 1 | | \$ |
| 37 | Construction Surveying and Staking | LS | 1 | | \$ |
| 38 | Pothole Existing Utilities | VF | 15 | | \$ |
| 39 | Clearing and Grubbing | SF | 7,670 | | \$ |
| 40 | Remove Existing Asphalt and Excavate for New Pavement Section | CY | 367 | | \$ |
| 41 | Remove Existing Box Culvert | LF | 20 | | \$ |
| 42 | Remove Existing Headwall and Inlet/Outlet Structure | EA | 2 | | \$ |
| 43 | Remove Existing Signs | LS | 1 | | \$ |
| 44 | Removal of Existing Irrigation Turnout, Headgate, and Screens | LS | 1 | | \$ |
| 45 | Cut and Remove Existing Irrigation Pipe | LF | 11 | | \$ |
| 46 | Removal and Protection of Canal Liner | LF | 160 | | \$ |
| 47 | Excavate for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 246 | | \$ |
| 48 | Furnish and Install 120-inch by 48-inch Concrete Box Culvert | LF | 68 | | \$ |
| 49 | Furnish and Install Type "B" Inlet/Outlet Structures | CY | 50 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|---|--|------|--------------------|----------------|-----------|
| 50 | Furnish and Install Granular Borrow for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 257 | | \$ |
| 51 | Furnish and Install Finish Grading of Canal Channel | LF | 184 | | \$ |
| 52 | Furnish and Install Restoration and Attachment of Canal Liner to Wing Wall/Inlet/Outlet Structure | EA | 1 | | \$ |
| 53 | Furnish and Install Asphalt | SY | 1,317 | | \$ |
| 54 | Furnish and Install Untreated Base Course in Pavement Section Over Box Culvert | CY | 14 | | \$ |
| 55 | Furnish and Install Untreated Base Course in Pavement Section Not Over Box Culvert | CY | 175 | | \$ |
| 56 | Furnish and Install Granular Borrow in Pavement Section Not Over Box Culvert | CY | 440 | | \$ |
| 57 | Furnish and Install Irrigation Turnout Type A | EA | 1 | | \$ |
| 58 | Furnish and Install 30-inch Headgate | EA | 1 | | \$ |
| 59 | Furnish and Install 48-inch by 48-inch Rectangular Structure | EA | 2 | | \$ |
| 60 | Furnish and Install 30-inch Corrugated HDPE Pipe | LF | 55 | | \$ |
| 61 | Furnish and Install Site Revegetation | SY | 130 | | \$ |
| CROSSING "D" TOTAL: | | | | \$ | |
| CROSSING "E" 5900 WEST (Cobblestone) – BID ALTERNATE 2 | | | | | |
| 62 | Provide Mobilization | LS | 1 | | \$ |
| 63 | Provide and Maintain Traffic Control | LS | 1 | | \$ |
| 64 | Storm Water Pollution Prevention Plan (SWPPP) | LS | 1 | | \$ |
| 65 | Construction Survey and Staking | LS | 1 | | \$ |
| 66 | Pothole Existing Utilities | VF | 15 | | \$ |
| 67 | Clearing and Grubbing | SF | 5,350 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|--|--|------|--------------------|----------------|-----------|
| 68 | Remove Existing Asphalt and Excavate for New Pavement Section | CY | 408 | | \$ |
| 69 | Remove Existing Box Culvert | LF | 25 | | \$ |
| 70 | Remove Existing Headwall and Inlet/Outlet Structures | EA | 2 | | \$ |
| 71 | Remove Existing Signs | LS | 1 | | \$ |
| 72 | Removal and Protection of Canal Liner | LF | 140 | | \$ |
| 73 | Excavate for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 213 | | \$ |
| 74 | Furnish and Install 120-inch by 48-inch Concrete Box Culvert | LF | 122 | | \$ |
| 75 | Furnish and Install Type "B" Inlet/Outlet Structures | CY | 57 | | \$ |
| 76 | Furnish and Install Granular Borrow for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 475 | | \$ |
| 77 | Furnish and Install Finish Grading of Canal Channel | LF | 110 | | \$ |
| 78 | Furnish and Install Restoration and Attachment of Canal Liner to Wing Wall/Inlet/Outlet Structure | EA | 1 | | \$ |
| 79 | Furnish and Install Asphalt | SY | 750 | | \$ |
| 80 | Furnish and Install Untreated Base Course in Pavement Section Over Box Culvert | CY | 35 | | \$ |
| 81 | Furnish and Install Untreated Base Course in Pavement Section Not Over Box Culvert | CY | 137 | | \$ |
| 82 | Furnish and Install Granular Borrow in Pavement Section Not Over Box Culvert | CY | 411 | | \$ |
| 83 | Furnish and Install Site Revegetation | SY | 565 | | \$ |
| | CROSSING "E" TOTAL: | | | | \$ |
| CROSSING "F" 1800 SOUTH (NOT IN BID) | | | | | |
| CROSSING "G" 1400 SOUTH (100 South Mendon) (NOT IN BID) | | | | | |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|---|--|------|--------------------|----------------|-----------|
| CROSSING "H" CENTER STREET (Petersboro) – BASE BID | | | | | |
| 84 | Clearing and Grubbing | SF | 4,928 | | \$ |
| 85 | Remove Existing Asphalt and Excavate for New Pavement Section | CY | 630 | | \$ |
| 86 | Remove Existing 30-inch HDPE Pipe | LF | 22 | | \$ |
| 87 | Remove Existing Signs | LS | 1 | | \$ |
| 88 | Remove Existing Concrete Ditch | LS | 1 | | \$ |
| 89 | Remove Existing Rock Rip-Rap | SF | 2,700 | | \$ |
| 90 | Excavate for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 398 | | \$ |
| 91 | Furnish and Install 72-inch by 36-inch Concrete Box Culvert | LF | 76 | | \$ |
| 92 | Furnish and Install Type "B" Inlet/Outlet Structures | CY | 44 | | \$ |
| 93 | Furnish and Install Granular Borrow for Box Culverts, Inlet/Outlet Structures, and Roadway Outside of Pavement Section | CY | 276 | | \$ |
| 94 | Furnish and Install Finish Grading of Canal Channel | LF | 65 | | \$ |
| 95 | Furnish and Install Asphalt | SY | 690 | | \$ |
| 96 | Furnish and Install Untreated Base Course in Pavement Section Over Box Culvert | CY | 12 | | \$ |
| 97 | Furnish and Install Untreated Base Course in Pavement Section Not Over Box Culvert | CY | 234 | | \$ |
| 98 | Furnish and Install Granular Borrow in Pavement Section Not Over Box Culvert | CY | 308 | | \$ |
| 99 | Furnish and Install 36-inch by 36-inch Rectangular Structure | EA | 4 | | \$ |
| 100 | Furnish and Install 18-inch Reinforced Concrete Pipe | LF | 90 | | \$ |
| 101 | Furnish and Install 24-inch Reinforced Concrete Pipe | LF | 175 | | \$ |
| 102 | Furnish and Install Site Revegetation | SY | 255 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|---|---|------|--------------------|----------------|-----------|
| | CROSSING "H" SUBTOTAL: | | | \$ | |
| CROSSING "I" 600 NORTH (Petersboro) – BASE BID | | | | | |
| 103 | Clearing and Grubbing | SF | 10,650 | | \$ |
| 104 | Remove Existing Asphalt and Excavate for New Pavement Section | CY | 265 | | \$ |
| 105 | Remove Existing 48-inch Reinforced Concrete Pipe | LF | 31 | | \$ |
| 106 | Remove Existing Headwall, Inlet Structure, and Headgate | LS | 1 | | \$ |
| 107 | Remove Existing Signs | LS | 1 | | \$ |
| 108 | Removal of Existing Irrigation Turnout, Headgate, and Screens | LS | 1 | | \$ |
| 109 | Removal of Existing Irrigation Pipe and Seal Existing Irrigation Box | LS | 1 | | \$ |
| 110 | Removal of Existing Irrigation Pipe and Seal Existing 36-inch CMP Pipe | LS | 1 | | \$ |
| 111 | Excavate for 48-inch Reinforced Concrete Pipe, 120-inch by 72-inch Rectangular Structure, and Roadway Outside of Pavement Section | CY | 180 | | \$ |
| 112 | Furnish and Install 48-inch Reinforced Concrete Pipe | LF | 254 | | \$ |
| 113 | Furnish and Install 48-inch Reinforced Concrete Pipe Flared End Section | EA | 2 | | \$ |
| 114 | Furnish and Install 120-inch by 72-inch Rectangular Structure | EA | 1 | | \$ |
| 115 | Furnish and Install Finish Grading of Canal Channel | LF | 30 | | \$ |
| 116 | Furnish and Install 18-inch Reinforced Concrete Pipe | LF | 42 | | \$ |
| 117 | Furnish and Install 12-inch SDR 45 PVC Pipe | LF | 21 | | \$ |
| 118 | Furnish and Install Irrigation Slide Gate | EA | 1 | | \$ |
| 119 | Furnish and Install 18-inch Headgate | EA | 1 | | \$ |
| 120 | Furnish and Install 12-inch Headgate | EA | 1 | | \$ |
| 121 | Furnish and Install Asphalt | SY | 610 | | \$ |

| ITEM NO. | DESCRIPTION | UNIT | ESTIMATED QUANTITY | BID UNIT PRICE | BID PRICE |
|-----------------|---|-------------|---------------------------|-----------------------|------------------|
| 122 | Furnish and Install Untreated Base Course in Pavement Section | CY | 196 | | \$ |
| 123 | Furnish and Install Granular Borrow in Pavement Section | CY | 535 | | \$ |
| 124 | Furnish and Install Site Revegetation | SY | 1,100 | | \$ |
| | CROSSING "I" SUBTOTAL: | | | \$ | |
| | BASE BID TOTAL: | | | \$ | |
| | ALTERNATE 1 TOTAL: | | | \$ | |
| | ALTERNATE 2 TOTAL: | | | \$ | |