NIBLEY CITY REGIONAL DRAIN LINE
CONSTRUCTION DRAWINGS

11/3/2026

VICINITY MAP
NTS



Sheet List Table	
Sheet Number	Sheet Title
C001	COVER
C002	LEGEND
C200	SITE OVERVIEW
C401	PLAN & PROFILE
C402	PLAN & PROFILE
C403	PLAN & PROFILE
C501	DETAILS
C502	DETAILS

PROJECT CONTACTS:

1. CIVIL ENGINEER:
   CLAY SCHAFFNER
   498 WEST 100 SOUTH
   PROVIDENCE, UT 84332
   CSCHAFFNER@CIVILSOLUTIONSGROUP.NET
   P. 435.890.4498
2. SURVEYOR
   CURTIS BOWN
   498 WEST 100 SOUTH
   PROVIDENCE, UT 84332
   CBOWN@CSG.WORK
   P. 435.720.3761
3. NIBLEY CITY ENGINEER
   TOM DICKINSON
   455 WEST 3200 SOUTH
   NIBLEY, UT 84321
   tomd@nibleycity.gov
   P. 435.752.0431
4. NIBLEY CITY PUBLIC WORKS DIRECTOR:
   STEPHEN ELIASON
   455 WEST 3200 SOUTH
   NIBLEY, UT 84321
   P. 435.770.0727
5. HYRUM CITY FIRE DEPARTMENT:
   P. 435.245.7654
6. ROCKY MOUNTAIN POWER:
   BUILDER'S HOTLINE
   1.800.469.3981
   ROCKYMOUNTAINPOWER.NET
7. UTAH STORM WATER PERMIT:
   UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY
   DIVISION OF WATER QUALITY
   195 N 1950 W
   SALT LAKE CITY, UTAH 84116
   P. 801.536.4000
   https://deq.utah.gov/water-quality/updes-ereporting#construction
8. ENBRIDGE GAS:
   CRISTI FIEDEL
   LOGAN, UT 84321
   CHRISTIFIEDEL@DOMINIONENERGY.COM
   P. 435.757.5433

STANDARD DRAWINGS & SPECIFICATIONS:

1. NIBLEY CITY DEPARTMENT OF PUBLIC WORKS DESIGN STANDARDS AND SPECIFICATIONS.

NIBLEY CITY ENGINEERING DEPARTMENT APPROVAL:

THE IMPROVEMENTS FOR THIS PROJECT HAVE BEEN REVIEWED BY THE CITY ENGINEER FOR GENERAL CONFORMANCE WITH THE REQUIREMENTS OF THE CITY SUBDIVISION ORDINANCE. THIS SET OF CITY-APPROVED DRAWINGS SHALL BE USED FOR CONSTRUCTION OF THE REQUIRED SUBDIVISION IMPROVEMENTS. THE DEVELOPER'S ENGINEER, WHOSE STAMP IS ON THESE DRAWINGS, IS RESPONSIBLE FOR THE ENGINEERING DESIGN, DRAFTING, AND RELATED FIELD INFORMATION. THE CONSTRUCTION CONTRACTOR IS RESPONSIBLE FOR DIMENSIONS WHICH SHALL BE CONFIRMED AND CORRELATED AT THE JOB SITE; FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION; COORDINATION OF HIS OR HER WORK WITH THAT OF ALL OTHER TRADES; AND THE SATISFACTORY PERFORMANCES OF HIS OR HER WORK.

BY:_____ _____ DATE:_____

Know what's below. 811
Call 811 before you dig.
BLUE STAKES OF UTAH
UTILITY NOTIFICATION CENTER, INC.
www.bluestakes.org
1-800-662-4111

THESE PLANS AND SPECIFICATIONS ARE THE PROPERTY OF CIVIL SOLUTIONS GROUP, INC. AND SHALL NOT BE PHOTOCOPIED, RE-DRAWN, OR USED ON ANY OTHER PROJECT OTHER THAN THE PROJECT SPECIFICALLY DESIGNED FOR, WITHOUT WRITTEN PERMISSION. THE OWNERS AND ENGINEERS OF CIVIL SOLUTIONS GROUP, INC. DISCLAIM ANY LIABILITY FOR ANY CHANGES OR MODIFICATIONS MADE TO THESE PLANS OR THE DESIGN THEREON WITHOUT THEIR CONSENT. THESE PLANS ARE DRAWN TO SCALE WHEN PLOTTED ON A 24" X 36" SHEET OF PAPER. THESE PLANS ARE PRODUCED IN COLOR AND SHOULD BE PLOTTED AS SUCH.

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No. 14215217-2202
CLAY M. SCHAFFNER
STATE OF UTAH

COVER

C001

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\C001 COVER

GENERAL

1. ALL MATERIALS, WORKMANSHIP, CONSTRUCTION AND PLACEMENT SHALL MEET OR EXCEED THE STANDARDS AND SPECIFICATIONS AS DEFINED IN THE 2025 (CURRENT EDITION) MANUAL OF STANDARD SPECIFICATIONS AND MANUAL OF STANDARD PLANS, UTAH CHAPTER, AMERICAN PUBLIC WORKS ASSOCIATION (APWA) AND APPLICABLE CITY, COUNTY, STATE AND FEDERAL REGULATIONS/REQUIREMENTS, INTERNATIONAL PLUMBING CODE, UTAH DRINKING WATER REGULATIONS. WHERE THERE IS A CONFLICT BETWEEN THESE PLANS, SPECIFICATIONS OR ANY APPLICABLE STANDARD, THE MOST RESTRICTIVE STANDARD SHALL APPLY. THE CONTRACTOR IS REQUIRED TO ADHERE TO ALL OF THE ABOVE-MENTIONED DOCUMENTS UNLESS OTHERWISE NOTED AND APPROVED IN WRITING BY THE DIRECTOR OF PUBLIC WORKS AND ENGINEER.
2. THESE PLANS AND SPECIFICATIONS ARE THE PROPERTY OF CIVIL SOLUTIONS GROUP AND SHALL NOT BE PHOTOCOPIED, RE-DRAWN, OR USED ON ANY OTHER PROJECT OTHER THAN THE PROJECT SPECIFICALLY DESIGNED FOR, WITHOUT WRITTEN PERMISSION.
3. THE OWNERS AND ENGINEERS OF CIVIL SOLUTIONS GROUP, INC. DISCLAIM ANY LIABILITY FOR ANY CHANGES OR MODIFICATIONS MADE TO THESE PLANS OR THE DESIGN THEREON WITHOUT THEIR CONSENT.
4. THESE PLANS ARE DRAWN TO SCALE WHEN PLOTTED ON A 24" X 36" SHEET OF PAPER. THESE PLANS ARE PRODUCED IN COLOR AND SHOULD BE PLOTTED AS SUCH.
5. ALL REFERENCES TO ANY PUBLISHED STANDARDS SHALL REFER TO THE LATEST REVISION OF SAID STANDARD, UNLESS SPECIFICALLY STATED OTHERWISE.
6. IMPROVEMENTS DEPICTED IN THESE PLANS AND CONSTRUCTED BY THE CONTRACTOR SHALL BE GUARANTEED BY THE CONTRACTOR TO BE FREE FROM MATERIAL AND WORKMANSHIP DEFECTS FOR A PERIOD OF ONE YEAR FROM THE DATE OF ACCEPTANCE.
7. CIVIL SOLUTIONS GROUP DOES NOT CONTROL OR WILL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SCHEDULES, SEQUENCES, OR PROCEDURES OF THE CONTRACTOR.
8. CIVIL SOLUTIONS GROUP WILL NOT BE RESPONSIBLE FOR CONSTRUCTION SITE SAFETY, PEDESTRIAN ACCESSIBILITY, ETC.
9. CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE MATERIALS TESTING AND INSPECTIONS AS REQUIRED BY THE MUNICIPALITY, APWA STANDARDS AND SPECIFICATIONS, OR THESE PLANS.
10. CONTRACTOR SHALL BE LICENSED, BONDED, AND INSURED FOR THIS WORK.

SAFETY AND RESPONSIBILITY

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL ASPECTS OF SAFETY. INCLUDING, BUT NOT LIMITED TO, EXCAVATION, TRENCHING, SHORING, TRAFFIC CONTROL, SECURITY AND OTHER SITE RELATED SAFETY PRACTICES. REFER TO OSHA PUBLICATION 2226, EXCAVATING AND TRENCHING, APWA, AND OTHER STANDARD PUBLICATIONS. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR CONFORMING TO LOCAL AND FEDERAL CODES GOVERNING SHORING AND BRACING OF EXCAVATIONS AND TRENCHES, AND FOR THE PROTECTION OF WORKERS.
2. THE CONTRACTOR SHALL SUBMIT A CONSTRUCTION TRAFFIC CONTROL PLAN TO THE REVIEWING AGENCY (LOCAL GOVERNMENT, DEPARTMENT OF TRANSPORTATION, OR OTHERS AS REQUIRED BY PERMIT) FOR REVIEW AND ACCEPTANCE, PRIOR TO ANY CONSTRUCTION ACTIVITIES WITHIN, OR AFFECTING THE RIGHT-OF-WAY. ALL TRAFFIC CONTROL PLANS SHALL BE IN ACCORDANCE WITH MUTCD STANDARDS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL TRAFFIC CONTROL DEVICES, PERSONNEL AND OTHER FACILITIES AS MAY BE REQUIRED BY THE CONSTRUCTION ACTIVITIES.
3. ALL CONSTRUCTION FENCING, EROSION CONTROL TREATMENTS, WARNING SIGNS, AND TRAFFIC CONTROL SHALL BE INSTALLED PRIOR TO ANY CONSTRUCTION. CONSTRUCTION FENCING SHALL BE INSTALLED AT THE LIMITS OF WORK WHEREVER POSSIBLE.
4. CONTRACTOR MUST OBTAIN ALL THE NECESSARY PERMITS AND AGREEMENTS AND PAY ALL APPLICABLE FEES PRIOR TO ANY CONSTRUCTION ACTIVITIES.
5. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING A SAFE AND SECURE WORK AREA THROUGHOUT CONSTRUCTION.
6. THE CONTRACTOR IS RESPONSIBLE FOR DUST CONTROL ACCORDING TO THE GOVERNING ENTITY STANDARDS.
7. THE CONTRACTOR IS REQUIRED TO KEEP ALL CONSTRUCTION ACTIVITIES WITHIN THE APPROVED PROJECT LIMITS. THIS INCLUDES, BUT IS NOT LIMITED TO, VEHICLE AND EQUIPMENT STAGING, MATERIAL STORAGE AND LIMITS OF TRENCH EXCAVATION. IT IS THE CONTRACTORS RESPONSIBILITY TO OBTAIN PERMISSION AND/OR EASEMENTS FROM THE APPROPRIATE GOVERNING ENTITY AND/OR INDIVIDUAL PROPERTY OWNER(S) FOR WORK OR STAGING OUTSIDE OF THE PROJECT LIMITS.

SURVEY AND EXISTING CONDITIONS

1. THE CONTRACTOR WILL BE RESPONSIBLE FOR FIELD LOCATING AND VERIFYING LOCATIONS AND ELEVATIONS OF ALL EXISTING UTILITIES (INCLUDING, BUT NOT LIMITED TO, WATER, SEWER, OVERHEAD AND UNDERGROUND POWER, CONTROL WIRING, IRRIGATION, MANHOLES, HANDHOLES, JUNCTIONS, ETC) AND OTHER IMPROVEMENTS PRIOR TO INSTALLING ANY OF THE ELEMENTS INDICATED IN THESE PLANS. IF A CONFLICT EXISTS AND/OR A DESIGN MODIFICATION IS REQUIRED, THE CONTRACTOR SHALL COORDINATE WITH THE ENGINEER. DESIGN MODIFICATION(S) MUST BE APPROVED BY THE OWNER AND ENGINEER PRIOR TO BEING IMPLEMENTED. THE CONTRACTOR IS CAUTIONED THAT LOCATIONS SHOWN ON THESE PLANS ARE APPROXIMATE. THE CONTRACTOR IS RESPONSIBLE TO REPAIR ALL DAMAGED UTILITIES AT NO ADDITIONAL COST.
2. PROTECT ALL IMPROVEMENTS NOT INCLUDED IN THE SCOPE OF SITE DEMOLITION. ANY IMPROVEMENT WHICH IS DAMAGED SHALL BE REPAIRED OR REPLACED IN-KIND TO THE OWNER'S SATISFACTION AT NO ADDITIONAL COST TO THE OWNER CONSTRUCTION AND SITE MAINTENANCE
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR RECORDING AS-CONSTRUCTED INFORMATION ON A SET OF RECORD DRAWINGS KEPT ON THE CONSTRUCTION SITE. THIS RECORD DRAWING SET SHALL BE AVAILABLE TO THE OWNERS/ENGINEERS DESIGNATED REPRESENTATIVE AT ALL TIMES. DIGITAL RECORDATION ON A DIGITAL RECORD SET IS ACCEPTABLE.
4. UPON COMPLETION OF CONSTRUCTION, THE SITE SHALL BE CLEANED AND RESTORED TO A CONDITION EQUAL TO, OR BETTER THAN, THAT WHICH EXISTED BEFORE CONSTRUCTION, OR TO THE GRADES AND CONDITION AS REQUIRED BY THESE PLANS AND SPECIFICATIONS.

COORDINATION REQUIREMENTS

1. THE CONTRACTOR IS RESPONSIBLE TO NOTIFY ALL APPROPRIATE GOVERNMENT AND PRIVATE ENTITIES ASSOCIATED WITH THE PROJECT FOR WORK COORDINATION.
2. ALL ON-SITE DEWATERING ACTIVITIES MUST BE APPROVED BY THE AUTHORITY HAVING JURISDICTION. ADEQUATE MEASURES MUST BE TAKEN TO REMOVE ALL SEDIMENT PRIOR TO DISCHARGE.
3. THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATIONS OF EXISTING UTILITIES, AS INDICATED ON THESE PLANS, IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED UPON AS BEING EXACT OR COMPLETE. THE CONTRACTOR SHALL CONTACT BLUE STAKES (BY DIALING 811) AT LEAST 3 WORKING DAYS PRIOR TO BEGINNING EXCAVATION, TRENCHING OR GRADING TO HAVE ALL REGISTERED UTILITY LOCATIONS MARKED. ALL OTHER UN-REGISTERED UTILITIES (I.E. DITCH, IRRIGATION COMPANY, OTHER SITE-SPECIFIC UTILITIES, ETC.) ARE TO BE LOCATED BY CONTACTING, IN ADVANCE, THE RESPECTIVE REPRESENTATIVE. UTILITY SERVICE LATERALS SHOULD ALSO BE LOCATED PRIOR TO BEGINNING EXCAVATION, TRENCHING OR GRADING ACTIVITIES.
4. THE CONTRACTOR SHALL COORDINATE AND COOPERATE WITH THE PROJECT OWNER, ENGINEER, LOCAL JURISDICTION AND ALL UTILITY COMPANIES INVOLVED REGARDING RELOCATIONS, ADJUSTMENTS, EXTENSIONS AND REARRANGEMENTS OF EXISTING UTILITIES DURING CONSTRUCTION, AND TO ASSURE THAT THE WORK IS ACCOMPLISHED IN A TIMELY FASHION AND WITH MINIMAL DISRUPTION OF SERVICE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING, IN ADVANCE, ALL PARTIES AFFECTED BY ANY DISRUPTION OF UTILITY SERVICE AS WELL AS THE UTILITY COMPANIES.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL UTILITIES AND EXISTING IMPROVEMENTS DURING CONSTRUCTION AND FOR COORDINATING WITH THE APPROPRIATE UTILITY COMPANY OR AGENCY FOR ANY UTILITY CROSSINGS REQUIRED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE COST OF ALL MEANS REQUIRED TO PROTECT EXISTING UTILITIES AND IMPROVEMENTS AND/OR TO WORK AROUND SUCH UTILITIES. THIS INCLUDES, BUT IS NOT LIMITED TO, SUPPORTING EXISTING UTILITIES AND IMPROVEMENTS, SHORING AROUND EXITING UTILITIES AND IMPROVEMENTS, EXCAVATION SUPPORT, PHASING OF WORK AND TRAFFIC CONTROL.
6. THE CONTRACTOR SHALL NOTIFY THE LOCAL JURISDICTION AND AFFECTED UTILITY COMPANY, AND ALL AFFECTED PARTIES A MINIMUM OF 24 HOURS PRIOR TO ANY INTERRUPTION OR SERVICE.
7. THE CONTRACTOR IS NOT TO OPERATE ANY VALVES, FIRE HYDRANTS AND OTHER APPURTENANCES WITHOUT THE UTILITY OWNER'S PERMISSION.
8. IF DURING CONSTRUCTION CONDITIONS ARE ENCOUNTERED WHICH COULD INDICATE A SITUATION THAT IS NOT IDENTIFIED IN THE PLANS OR SPECIFICATIONS, THE CONTRACTOR SHALL CONTACT THE ENGINEER IMMEDIATELY.
9. AT THE OWNERS DISCRETION, CIVIL SOLUTIONS GROUP SHALL PROVIDE A PROJECT ENGINEER ON SITE PERIODICALLY DURING CONSTRUCTION, REPRESENTING THE OWNER, TO ENSURE CONSTRUCTION MEETS THE REQUIREMENTS OF THESE PLANS AND SPECIFICATIONS. THE CONTRACTOR IS EXPECTED TO COORDINATE AND COOPERATE WITH ON SITE ENGINEER.
10. PROPOSED GRADES INDICATE DESIGN INTENT. THE CONTRACTOR SHALL VERIFY ELEVATIONS AND MAKE ADJUSTMENTS TO MEET FIELD CONDITIONS AS REQUIRED. DO NOT PROCEED WITH ANY ADJUSTMENT OR FIELD MODIFICATION UNTIL APPROVED BY THE ENGINEER.
11. CONTRACTOR ACKNOWLEDGES THAT PLANS ARE DIAGRAMMATIC AND PRECISE PLACEMENT OF EQUIPMENT MAY NOT BE POSSIBLE DUE TO EXISTING CONDITIONS. CONTRACTOR SHALL COORDINATE ANY SUCH OCCURRENCE WITH ENGINEER WITHOUT ADDITIONAL COST.

UTILITIES

1. CONTRACTOR SHALL NOT ALLOW ANY GROUNDWATER OR DEBRIS TO ENTER THE NEW OR EXISTING PIPE DURING CONSTRUCTION. UTILITY TRENCHING, BACKFILL, AND PIPE ZONE AS PER MUNICIPALITY OR APWA.
2. DETECTABLE WARNING TAPE AND DEDICATED TRACING WIRE SHALL BE PROVIDED FOR ALL SUBSURFACE UTILITIES, THIS SHALL BE BURIED A MAXIMUM OF 18" DEEP.
3. THE TOPS, RIMS, GRATES, COVERS, ETC. OF ANY UTILITY STRUCTURE THAT IS TO REMAIN SHALL BE ADJUSTED TO MATCH FLUSH WITH FINAL GRADE. ALL NEW COMPONENTS SHALL SIMILARLY BE INSTALLED FLUSH WITH FINAL GRADE.

STORMWATER POLLUTION PREVENTION

1. CONSTRUCTION SITES MUST BE IN COMPLIANCE WITH THE UTAH POLLUTION DISCHARGE ELIMINATION SYSTEM (UPDES) STORM WATER PERMIT FOR CONSTRUCTION ACTIVITIES (538-6923) AND SHALL BE COMPLIANT WITH THE MUNICIPALITIES MS4 REQUIREMENTS. A COPY OF THE PERMIT'S STORM WATER POLLUTION PREVENTION PLAN MUST BE SUBMITTED TO PUBLIC UTILITIES FOR REVIEW AND APPROVAL. ADDITIONAL WATER QUALITY AND EROSION CONTROL MEASURES MAY BE REQUIRED.
2. THE CONTRACTOR IS RESPONSIBLE FOR THE PREPARATION OF THE SWPPP, THE FILING OF PERMITS, MAINTENANCE OF BMP'S, AND ALL OTHER ITEMS ASSOCIATED WITH SWPPP AND MS4 COMPLIANCE.
3. THE CONTRACTOR SHALL HAVE ONSITE AT ALL TIMES AN UP TO DATE STORM WATER POLLUTION PREVENTION PLAN (SWPPP), A BMP MAINTENANCE FOLDER, ONE (1) SIGNED COPY OF THE APPROVED PLANS, ONE (1) COPY OF THE APPROPRIATE STANDARDS AND SPECIFICATIONS, AND A COPY OF ANY PERMITS AND AGREEMENTS NEEDED FOR THE JOB.
4. THE CONTRACTOR SHALL COMPLY WITH ALL TERMS AND CONDITIONS OF THE UTAH PERMIT FOR STORM WATER DISCHARGE, THE SWPPP AND THE EROSION CONTROL PLAN.
5. ALL BMP'S SHALL BE INSTALLED AT THE LIMITS OF CONSTRUCTION AND AT AREAS WITH DISTURBED SOIL (ON OR OFF SITE) PRIOR TO ANY OTHER GROUND DISTURBING ACTIVITY. ALL BMPS SHALL BE MAINTAINED IN GOOD REPAIR BY THE CONTRACTOR, UNTIL THE ENTIRE DISTURBED AREA IS STABILIZED WITH HARD SURFACING OR LANDSCAPING AND A NOTICE OF TERMINATION IS FILED.
6. MUD AND DEBRIS MUST BE REMOVED BY THE END OF EACH WORKING DAY BY AN APPROPRIATE MECHANICAL METHOD (I.E. MACHINE BROOM SWEEP, HAND SWEEPING, ETC.).

LEGEND EXISTING

- PROPERTY BOUNDARY
- sd — STORM DRAIN LINE
- w — WATER LINE
- ir — IRRIGATION LINE
- g — GAS LINE
- ss — SEWER LINE
- e — BURIED POWER LINE
- e — AERIAL POWER LINE
- c — COMMUNICATION LINE
- #### — CONTOUR MINOR
- #### — CONTOUR MAJOR
- ASPHALT
- OPEN FACE CURB AND GUTTER
- FENCE
- CONCRETE
- EXISTING TO BE REMOVED
- WATER VALVE
- WATER METER
- FIRE HYDRANT
- CATCH BASIN (STORMDRAIN BOX)
- STORMDRAIN MANHOLE
- SEWER MANHOLE
- SCO — SEWER CLEANOUT
- IRRIGATION VALVE
- POWER POLE
- E — ELECTRICAL BOX
- C — COMMUNICATIONS BOX

LEGEND PROPOSED

- W — W — WATER LINE (SIZE SHOWN ON PLAN)
- SD — STORM DRAIN LINE (SIZE SHOWN ON PLAN)
- IRR — IRR — IRRIGATION LINE (SIZE SHOWN ON PLAN)
- G — GAS LINE
- SS — SANITARY SEWER LINE (SIZE SHOWN ON PLAN)
- E — BURIED POWER LINE
- C — BURIED COMMUNICATION LINE
- #### — CONTOUR MAJOR
- #### — CONTOUR MINOR
- ASPHALT
- CATCH CURB AND GUTTER
- SPILL CURB AND GUTTER
- CONCRETE SIDEWALK
- BUILDING SETBACK
- EASEMENT
- WATER VALVE
- FIRE HYDRANT
- WATER METER
- D — STORMDRAIN MANHOLE
- STORMDRAIN BOX
- STORMDRAIN CATCH BASIN
- S — SEWER MANHOLE
- SCO — SEWER CLEANOUT

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No.14218217-2202
CLAY M. SCHAFFNER
STATE OF UTAH

LEGEND

C002



GENERAL NOTES:

1. ALL STORM DRAIN PIPES TO BE DUAL-WALL CORRUGATED HDPE.
2. ALL OPEN-ENDED PIPES TO BE INSTALLED WITH FLARED-END SECTION AND TRASH GUARD.
3. INSTALL PIPES IN TRENCH PER DETAIL 3/C501.
4. INSTALL ALL STORMWATER STRUCTURES PER DETAIL 2/C501.
5. CONTRACTOR TO REPAIR LANDSCAPING SPRINKLERS AT PONDS
6. ALL CONTROL STRUCTURES SHOULD BE ABLE TO BE OPERATED FROM GROUND ELEVATION WITH NO REMOVAL OF GRATE NECESSARY

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No.14218217-2202
CLAY M. SCHAFFNER
STATE OF UTAH

SITE OVERVIEW


C200

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\C200 SITE OVERVIEW



PROFILE SCALE:
HORIZONTAL SCALE: 1"= 40'
5X VERTICAL EXAGGERATION

REGIONAL DRAIN LINE PROFILE



N

0 40 80 Feet

DESIGNING OUR FUTURE

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\401 PLAN AND PROFILE

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:


PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No.14218217-2202
CLAY M. SCHAFFNER
STATE OF UTAH

PLAN & PROFILE

C401


MATCHLINE: STA 10+00.00' (SEE C401)



MATCHLINE: STA 20+00.00' (SEE C403)

PROFILE SCALE:
HORIZONTAL SCALE: 1"= 40'
5X VERTICAL EXAGGERATION

REGIONAL DRAIN LINE PROFILE



ORIFICE SIZE CALCULATIONS		
H = Head = W.S.E. - INV. =	3.85	ft
P.Q. = Peak Allowable Discharge =	6.67	cfs
Orifice Diameter in inches = 6.12*(P.Q./(H^(1/2)))^(1/2) =	11.28	inches



civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026



PLAN & PROFILE

C402


P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\401 PLAN AND PROFILE

MATCHLINE: STA 20+00.00' (SEE C402)



PROFILE SCALE:
HORIZONTAL SCALE: 1"= 40'
5X VERTICAL EXAGGERATION

REGIONAL DRAIN LINE PROFILE





civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026




PLAN & PROFILE


C403

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\401 PLAN AND PROFILE


PLAN VIEW




SECTION A-A



SECTION B-B



1 / C501 BOX #9
NOT TO SCALE



2 / C501 STORMWATER STRUCTURE
NOT TO SCALE

3 / C501 UTILITY TRENCHING
NOT TO SCALE

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:


PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No.1421821-2202
CLAY M. SCHAFFNER
STATE OF UTAH

DETAILS


C501

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\C501 DETAILS



1 / C502 BOX #5
NOT TO SCALE

PLAN VIEW



2 / C502 BOX #4
NOT TO SCALE

civilsolutionsgroup inc.
CACHE VALLEY | P: 435.213.3762
SALT LAKE | P: 801.216.3192
UTAH VALLEY | P: 801.874.1432
info@civilsolutionsgroup.net
www.civilsolutionsgroup.net

NIBLEY CITY REGIONAL DRAIN LINE
3200 SOUTH & 1350 WEST
NIBLEY, UT 84321

MARK:	DATE:	DESCRIPTION:

PROJECT #: 26-207
DRAWN BY: A. LANGE
PROJECT MANAGER: C. SCHAFFNER
ISSUED: 11/3/2026

PROFESSIONAL ENGINEER
11/3/2026
No.14218217-2202
CLAY M. SCHAFFNER
STATE OF UTAH

DETAILS

C502

P:\2026\26-207 nibley city drain line\Civil\AutoCAD\sheet set\2 construction drawings\regional drain line\C501 DETAILS